

WISC YELLOW

MATERIAL SAFETY DATA SHEET

IDENTITY: 742 UV49Y002

SECTION I

MANUFACTURER'S NAME	EMERGENCY TELEPHONE NUMBER
C L E	214-875-8661
ADDRESS	TELEPHONE NUMBER FOR INFORMATION
CENTERLINE IND INC	214-875-8661
P O BOX 955326	DATE PREPARED
ST LOUIS MO	10/26/95
63195-5326	SIGNATURE OF PREPARER (optional)

SECTION II - HAZARDOUS INGREDIENTS

CHEMICAL NAME: TRAFFIC MARKING PAINT	OSHA PEL: N/A
COMMON NAME: CHROME YELLOW VOC. COMPLIANT	ACGIH THRESHOLD: N/A
OTHER LIMITS: N/A	% OF RAW MATERIAL: N/A
OTHER AGENCY: CHEMTREC # 1-800-424-9300	

CHEMICAL NAME: ACETONE	OSHA PEL: 750.00
COMMON NAME: ACETONE CAS. # 67-64-1	ACGIH THRESHOLD: 750.00
OTHER LIMITS: N/A	% OF RAW MATERIAL: 22.50
OTHER AGENCY: LMTS. 750 PPM	

CHEMICAL NAME: XYLENE	OSHA PEL: 100.00
COMMON NAME: XYLENE CAS. # 1330-20-7	ACGIH THRESHOLD: 100.00
OTHER LIMITS: N/A	% OF RAW MATERIAL: 5.00
OTHER AGENCY: LMTS. 100 PPM	

CHEMICAL NAME: LEAD CHROMATE	OSHA PEL: .05
COMMON NAME: CHROME YELLOW CAS. # 13444-37-2	ACGIH THRESHOLD: .05
OTHER LIMITS: N/A	% OF RAW MATERIAL: 8.30
OTHER AGENCY: LMTS. .05 MG/M3 PPM	

MATERIAL SAFETY DATA SHEET

IDENTITY: 742

SECTION III - PHYSICAL DATA

BOILING POINT: 130°F
APPEARANCE: YELLOW LIQUID; HYDROCARBON ODOR
SOLUBILITY: Y
SPECIFIC GRAVITY (H2O=1): Y
VAPOR PRESSURE (mm Hg.): 180.00
VAPOR DENSITY (AIR=1): Y
MELTING POINT: 49.00
EVAPORATION RATE (BUTYL ACETATE=1):

SECTION IV - FIRE & EXPLOSION DATA

FLASH POINT: 4.00
FLAMMABILITY LIMIT: 399.00
METHOD USED: 4°F TCC
EXTINGUISHING MEDIA: DRY CHEMICAL OR FOAM
SPECIAL FIREFIGHTING PROCEDURES:
WATER MAY BE USED TO COOL OR PROTECT
EXPOSED CONTAINERS.
UNUSUAL FIRE AND EXPLOSION HAZARDS:
CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED
TO EXTREME HEAT OR FIRE, VAPORS HEAVIER THAN AIR
LEL: 1.10%
UEL: 12.80%

SECTION V - REACTIVITY DATA

STABILITY:
STABLE X
UNSTABLE
CONDITIONS TO AVOID: ELEVATED TEMPERATURES, OXIDIZING AGENT
INCOMPATIBILITY (Materials to Avoid):
OXIDIZERS, ACIDS, BASES
HAZARDOUS DECOMPOSITION OR BYPRODUCTS:
CARBON DIOXIDE, CARBON MONOXIDE
DENSE SMOKE
HAZARDOUS POLYMERIZATION:
MAY OCCUR
WILL NOT OCCUR X
CONDITIONS TO AVOID: OXIDIZERS, ACIDS, BASES

