


MATERIAL SAFETY DATA SHEET

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION			
PRODUCT NAME: Dille-Koppanyi Reagent		DATE: November 6, 2012	
PRODUCT NUMBER(S): 905 (1006320), 7605 (1006032)			
TRADE NAME: Narcotest & NarcoPouch®			
GENERAL USE: Presumptive Test Kit for Barbiturates			
CHEMICAL FAMILY: Cobalt Salt+Isopropyl Amine in IPA.			
PRODUCT DESCRIPTION: 1st Ampoule – Slight pink color with odor of acetic acid first ampoule. Clear liquid with odor of Isopropylamine (ammonical odor) second ampoule.			
MANUFACTURED FOR: Safariland LLC		DATE PREPARED: November 6, 2012	
ADDRESS (NUMBER, STREET, P.O. BOX) 13386 International Parkway		SUPERSEDES: November 1, 2011	
(CITY, STATE AND ZIP CODE) Jacksonville, FL 32218		TELEPHONE NUMBER FOR INFORMATION / Customer Service 800-347-1200	
COUNTRY USA		CHEMTEL 24-HOUR EMERGENCY TELEPHONE NUMBER	
			
		1-800-255-3924 01-813-248-0585 North America Toll Free International	

SECTION 2 - HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

Irritation of eyes, nose, and throat. Splashes in the eyes or on the skin will cause severe skin burns. Inhalation of acid vapors may be injurious to the lungs. Repeated or prolonged exposure to solutions of acid may cause irritation of the skin.

Acetic acid: Causes severe digestive and respiratory tract burns. Causes severe eye and skin burns. Lachrymator (substance which increases the flow of tears). May be harmful if absorbed through the skin. Combustible liquid and vapor. May cause central nervous system depression. May cause reproductive and fetal effects. Target Organs: Kidneys, central nervous system, teeth.

Isopropylamine: Extremely flammable liquid and vapor. Vapor may cause flash fire. Causes eye and skin burns. Causes digestive and respiratory tract burns. Harmful if swallowed, inhaled, or absorbed through the skin. Target Organs: Eyes, skin, mucous membranes.

Cobaltous acetate: Warning! Possible cancer hazard. May cause cancer based on animal data. Causes eye irritation. May cause allergic respiratory and skin reaction. May be harmful if swallowed. May cause skin and respiratory tract irritation. May cause lung damage. Hygroscopic (absorbs moisture). Target Organs: Respiratory system, eyes, skin.

POTENTIAL HEALTH EFFECTS

INHALATION:
Irritation of throat. Inhalation of acid vapors and or Isopropylamine may be injurious to the lungs and with repeated inhalation chronic irritation/inflammation of nose, throat, and bronchial tubes. Isopropylamine irritates mucous membranes and respiratory tract, and causes severe irritation, blisters, and burns on prolonged contact.

SKIN:
Irritation and or burns by direct contact. Delayed onset contact dermatitis is also possible with chronic repeated exposure to both ampoule 1 and ampoule 2 chemicals.

EYES:
Chronic irritation of eyes, corneal burns are possible with exposure to Isopropylamine. (Ampoule 2).

INGESTION:
Severe irritation and ulceration of the gastrointestinal tract. Vomiting and diarrhea are also symptoms.

CARCINOGENICITY:
 NTP? No IARC MONOGRAPHS? Yes, CAS# 6147-53-1. OSHA REGULATED? No
 CALIFORNIA Prop. 65? No
 ESIS? Yes, CAS#6147-53-1, Cobaltous Acetate, EINECS- NR, Limited evidence of carcinogenic effect.

SECTION 3 - HAZARDOUS INGREDIENTS

Hazardous Components	% (by Weight)	CAS #	EINECS #	Hazard Symbol	RISK PHRASES (Full Text Section 15)
Isopropanol 1st ampoule	98	67-63-0	200-661-7	F, Xi	R11,R36,R67
Cobaltous Acetate Tetrahydrate 1st ampoule.	0.5	6147-53-1	Not referenced	Xn	R22,R40,R42/43
Acetic Acid: 1st ampoule	0.2	64-19-7	200-580-7	C	R34
Isopropanol, 2nd Ampoule	95%	67-63-0	200-661-7	F, Xi, Xn	R11,R36,R67
Isopropylamine: 2nd Ampoule (cap)	5%	75-31-0	200-860-9	F+, Xi	R12, R36/37/38

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: Dille-Koppanyi Reagent
PRODUCT NUMBER(S): 905 (1006320), 7605 (1006032) **DATE:** November 6, 2012

SECTION 4 - FIRST AID MEASURES

INHALATION:
Remove to fresh air, apply CPR if victim is unconscious, administer oxygen, seek immediate medical attention.

EYES:
In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Seek immediate medical attention.

SKIN:
In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Seek medical attention.

INGESTION:
If swallowed, give plenty of water to dilute substances, do not induce vomiting; if conscious, give large quantities of water immediately to dilute the Isopropylamine, or Acetic Acid. If vomiting occurs spontaneously keep the head below the waist to avoid aspiration. Call a physician immediately.

SECTION 5 - FIRE FIGHTING MEASURES

GENERAL HAZARDS:
Acetic Acid, 1st Ampoule is corrosive to reactive metals such as aluminum and magnesium with evolution of flammable hydrogen gas. Isopropylamine & Cobalt acetate emit toxic and irritating gases when involved in a fire.

EXTINGUISHING MEDIA:
Use extinguishing media such as water, foam, CO₂ or dry chemical for Isopropanol and Isopropylamine.

FIRE FIGHTING PROCEDURES:
Use NIOSH/MSA or European EN-149 approved respirators rated for acid gases Ampoule 1 or strong bases such as ammonia for Ampoule 2 fires, or SCBA equipment.

UNUSUAL FIRE AND EXPLOSION HAZARDS:
Under fire conditions wearing NIOSH/MSA or European EN-149 approved respirators or SCBA's is required.

HAZARDOUS COMBUSTION PRODUCTS:
Acid contact with most metals corrodes them severely and forms flammable hydrogen gas. Contact of acid gas or liquid with any alkali or active metal may develop enough heat to cause a fire in adjacent combustible material.

SECTION 6 - ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED:
Wear protective equipment; ventilate area; cover an Acetic Acid spill with sodium carbonate. Add water if necessary to form a slurry. Scoop up slurry. Can use ODV part number 910 soda ash. For Isopropylamine (ampoule 2), eliminate sources of ignition, absorb on paper towels or vermiculite and dispose as hazardous waste.

SECTION 7 - HANDLING AND STORAGE

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE:
Store and handle according to packaged instructions. Store in cool, well ventilated area. Keep away from reactive materials and sources of ignition. Avoid breathing Isopropylamine/Isopropyl alcohol vapor and prevent vapor accumulation in enclosed areas.

SECTION 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

HAZARDOUS COMPONENTS	NIOSH				ACGIH		OSHA	
	TWA ppm	TWA mg/m ³	STEL ppm	STEL mg/m ³	TLV/TWA ppm	TWA mg/m ³	STEL ppm	STEL mg/m ³
Isopropanol 1st&2nd ampoules	400	980	500	1225	200	500	400	980
Cobaltous Acetate Tetrahydrate 1st ampoule.	NE	NE	NE	NE	NE	NE	NE	NE
Acetic Acid 1st Ampoule	10		50 IDLH		10		10	25
Isopropylamine: 2nd Ampoule (cap)	5		750 IDLH		5		5	12

PERSONAL PROTECTION

RESPIRATORY PROTECTION:
NIOSH/MSA or European EN-149 approved acid gas respirator for a minor acetic acid spill clean-up or a NIOSH/MSA or European EN-149 approved ammonia vapor respirator for minor Isopropylamine spills.

PROTECTIVE GLOVES:
Impervious gloves (neoprene, nitrile) required when any contact potential with contents exists.

EYE PROTECTION:
Do not get in eyes, wear safety glasses with side shield splash protection or chemical goggles.

OTHER PROTECTIVE CLOTHING OR EQUIPMENT:
An eye wash fountain and safety shower should be readily available where the potential for contact exists.

WORK / HYGIENIC PRACTICES:
Wash thoroughly after handling. Be prepared to neutralize and absorb spilled acid, and to clean up toxic Isopropylamine.

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: Dille-Koppanyi Reagent
PRODUCT NUMBER(S): 905 (1006320), 7605 (1006032) **DATE:** November 6, 2012

SECTION 13 - DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD:
 Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261.3. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification. Do not allow isopropylamine or isopropanol to enter a sewer because of the possibility of an explosion.

SECTION 14 - TRANSPORT INFORMATION

GROUND SHIPMENT WITHIN USA (DOT):
PROPER SHIPPING NAME: None - Exempted Qty.
CLASS/ PACK GROUP/ LABELING: Class 3 with Excepted Qty. marking on package. No class 3 abel required.
NOTES: When shipped under 49CFR173.4a, This product is exempt from other labeling and waybill requirements.

GROUND SHIPMENTS TO AND WITHIN CANADA (TDG):
PROPER SHIPPING NAME: None - Limited Quantity (within Canada), See above for US to Canada
CLASS/ PACK GROUP/ LABELING: Phrase "Ltd. Qty." on package. No additional requirements.
NOTES: TDG only used for shipment within Canada, shipments from the US can follow DOT regulations. See TDG Sections 1.17 and 9.

AIR SHIPMENTS (ICAO/IATA):
PROPER SHIPPING NAME: None - (Classified under UN1219 Isopropanol Solution - Excepted Qty. E2)
CLASS/ PACK GROUP/ LABELING: Class 3 with Excepted Qty. marking on package. No class 3 abel required.
NOTES: This product is exempt from other labeling and waybill requirements.

OCEAN SHIPMENTS (IMDG):
PROPER SHIPPING NAME: None
CLASS/ PACK GROUP/ LABELING: Class 3 with Excepted Qty. marking on package. No class 3 label required.
NOTES: Shipping Paper required with statement "Dangerous Goods in Excepted Quantities" and number of packages.

ALL SHIPMENTS EXCEEDING EXCEPTED QUANTITY / ALTERNATIVE SHIPPING INFORMATION:
PROPER SHIPPING NAME: UN 3316, Chemical Kit 
CLASS/ PACK GROUP/ LABELING: Class 9, Pack Group III. Miscellaneous Label
NOTES: Full documentation required.

Note: Transportation information provided is for reference only. Client is urged to consult CFR 49 parts 100 - 177, IMDG, IATA, TDG & UN information manuals for detailed regulations and exceptions covering specific container sizes, packaging materials and methods of shipping. **Information above does not account for overpacks or outer packings with multiple hazardous materials; consult shipper when multiple materials are shipped. Consult regulations for maximum outer packaging and overpack requirements**

SECTION 15 - REGULATORY INFORMATION

TSCA (USA - Toxic Substance Control Act): Ingredients are listed.
SARA TITLE III (USA - Superfund Amendments and Reauthorization Act):

Acute Health:	Yes	Chronic Health:	Yes
Fire:	Yes	Sudden Release of Pressure:	No
Reactive:	No		

313 REPORTABLE INGREDIENTS: This material contains Cobalt (II) acetate, tetrahydrate (listed as Cobalt compounds), 0.5%, (CAS# 6147-53-1) and 2-propanol (Isopropanol) CAS#67-63-0 98% which are subject to the reporting requirements of Section 313 of SARA Title III and 40 CFR Part 373.

CERCLA (USA - Comprehensive Response Compensation and Liability Act): CAS# 64-19-7: 5000 lb final RQ; 2270 kg final RQ.
 California Prop 65, Safe Drinking Water and Toxic Enforcement Act of 1986: **None listed.**

State Right to Know: Cobaltous Acetate Tetrahydrate: NJ,PA, ; Isopropanol: NJ,PA ; Isopropyl Amine (2-Aminopropane):MA,NJ,PA, Acetic Acid: MA,NJ,PA.

CIDL (Canadian Ingredient Disclosure List): Listed.

CDSL / NDSL (Canadian Domestic Substances List / Non-Domestic Substances List): Listed on CDSL.

EINECS (European Inventory of Existing Commercial Chemical Substances): Cobaltous Acetate Tetrahydrate not referenced.

WGK Water Quality Index: 2 (overall 2 ampoules).

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: Dille-Koppanyi Reagent
PRODUCT NUMBER(S): 905 (1006320), 7605 (1006032) **DATE:** November 6, 2012

SECTION 15 - REGULATORY INFORMATION (Continued)

RISK PHRASES:	SYMBOL(S) REQUIRED FOR EU LABEL	SAFETY PHRASES:
<p>R11: Highly Flammable. R20/21/22: Harmful by inhalation, in contact with skin and if swallowed. R23: Toxic by inhalation. R34: Causes burns. R36/37/38: Irritating to eyes, respiratory system and skin. R40: Limited evidence of carcinogenic effect. R42/43: May cause sensitization by inhalation and skin contact. R67: Vapors may cause drowsiness and dizziness.</p>	 (+Xn)/(+Xi): Harmful/Irritant  (+C): Corrosive  (+F): Highly Flammable  (+N) Dangerous for the environment	<p>For Ampoule #1: S1: Keep out of the reach of children. S9: Keep container in a well ventilated place. S16: Keep away from sources of ignition-No smoking. S23: Do not inhale gas/fumes/vapor/spray. S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S29: Do not empty into drains. S36/37/39: Wear suitable protective clothing, gloves and eye/face protection. S45: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).</p> <p>For Ampoule #2: S1: Keep out of the reach of children. S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. S29: Do not empty into drains. S36/37: Wear suitable protective clothing and gloves.</p>

SECTION 16 - OTHER INFORMATION

Legend

N/A = Not Applicable	N/D = Not Determined	N/E = Not Established	N/R = Not Reported
HMIS HAZARD RATINGS	HEALTH:	3	0 = INSIGNIFICANT
	FLAMMABILITY:	3	1 = SLIGHT
	PHYSICAL HAZARD:	1	2 = MODERATE
	PERSONAL PROTECTIVE EQUIPMENT:	H	3 = HIGH
			4 = EXTREME

REVISION SUMMARY:
 Revised 11/6/2012. LB Transport separated by type.

MSDS Prepared by:
 ChemTel Inc.
 1305 North Florida Avenue
 Tampa, Florida USA 33602-2902
 Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573
 Website: www.chemtelinc.com



The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstances of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.

