

**LIQUI-LIFT  
# 506**

National Fire Protection Association(NFPA)

Health	1
Fire Hazard	1
Reactivity	0

Hazardous Material Information System (HMIS)

Health	1
Fire Hazard	1
Reactivity	0

**Section 1. Chemical Product and Company Identification**

Product Name-----	Liqui-Lift
Product Use:	Industrial cleaner and release agent for tar and cement equipment.
MSDS#	1113061

Print Date-10/27/06

Co. Name and Address:

Custom Chemical Corp  
13 Dudley Drive  
Roebuck,SC 29376  
(864)595-8872

**Section 2. Composition and Information on Ingredients**

Ingredients	CAS #	%	Exposure Limits	CL50/DL50
Orange Terpenes	68647-72-3		Not a hazardous mixture as defined in 29 CFR	
Methyl ester	67784-80-9		Not a hazardous mixture as defined in 29 CFR	

**Section 3. Hazards Identification**

Routes of Entry

Potential Acute Health Effects

Safety Glasses	Eyes	Contact will cause irritation, pain, and reddening. Prolonged exposure could cause blindness.
Gloves	Skin	Contact will cause a "soapy" feel and cause reddening.Prlonged exposure will cause mild burns.
Ventilation	Inhalation	Will be irritating to the throat and lungs.
Out of reach	Ingestion	If more that a mouthful is swallowed, abdominal discomfort, nausea, and diarrhea may occur.

Medical Condition Agrivated by Overexposure:

**Section 4. First Aid Measures**

Eye Contact	Flush Immediately with plenty of water. Get Medical attention if irritation occurs.
Skin Contact	Flush Immediately with plenty of water. Get Medical attention if irritation occurs.
Inhalation	Move to well ventilated area. Get medical attention if irritation persists.
Ingestion	Get medical attention immediateley.

**Section 5. Fire Fighting Measures**

**PRODUCT IS NOT COMBUSTIBLE.**

Flammability of the product	yes
Flash Point	293 F
Combustion of the product	None
Fire Fighting Media and Instructions	Extinguish with water spray or carbon dioxide, dry chemical powder or foam. Cool heat exposed containers with water spray.

**Section 6. Accidental Release Measures**

Page 2. Of 2

Personal Precautions	See section 8.
Environmental Precautions and clean-up methods	In the event of major spillage: Use appropriate containment to avoid environmental contamination. Sweep or scrape up material. Place in suitable clean, dry containers for disposal by approved methods. Use water rinse for final clean-up.

**Section 7. Handling and Storage**

Handling	Avoid contact with skin and eyes. FOR INDUSTRIAL USE ONLY.
Storage	Store in a Cool Dry Place that is well ventilated. Protect from Freezing. KEEP OUT OF REACH OF CHILDREN.

**Section 8. Exposure Controls and Personal Protection**

Engineering Controls	Always Use in a well ventilated area.
<b>Personal Protection</b>	
<b>Eyes</b>	Always wear safety glasses when using cleaning agents.
<b>Hands</b>	Always wear rubber gloves when using cleaning agents.
<b>Respiratory</b>	Always use cleaning agents with adequate ventilation.
<b>Feet</b>	No special requirements
<b>Body</b>	No special requirements

**Section 9. Stability and Reactivity**

Physical Properties	Clear to hazy
	Odor solvent odor
	Color Clear to amber
	pH N/A
	Specific Gravity 0.8-0.82
	Boiling Point 300-400 DEGREES F
	Melting/Freezing Point n/a
	Solubility in Water INSOLUBLE

**Section 10. Stability and Reactivity**

Stability and Reactivity	Product is stable. Toxic levels of sulfur dioxide, carbon dioxide, carbon monoxide will occur if product is mixed with bleach, (sodium Hypochlorite)
Conditions of instability	Avoid high heat
Incompatibility with various substances	None
Products hazardous	Will not occur
polymerization	Will not occur

**Section 11. Toxicological information**

Acute toxicity	ORAL (LD50) estimated to be greater than 5000 mg/kg (rat)
Effects of chronic exposure	None known

**Section 12. Ecological Information**

Not available

**Section 13. Disposal considerations**

Waste information	No special precautions. Always dispose of according to federal and state regulations.
-------------------	---

**Section 14. Transportation Information**

DOT Classification	Not regulated
--------------------	---------------

**Section 15. Regulatory Information**

Reporting in section 15 is based in information on product ingredients	
US Regulations	This product is not regulated to reporting requirements under proposition 65.

**Section 16. Other information****To the Reader:**

This MSDS sheet has been prepared using sources from the manufacturer/supplier of the ingredients. This is not a warranty. All liability is beyond the seller's/supplier's control. User is responsible for the use, handling, and storage of this product and must comply with all Federal and State laws and regulations.

LIQUI-LIFT

National Fire Protection Association(NFPA)

Health	2
Fire Hazard	2
Reactivity	0

Hazardous Material Information System (HMIS)

Health	2
Fire Hazard	2
Reactivity	0

**Section 1. Chemical Product and Company Identification**

Product Name-----	LIQUI-LIFT	
Product Use:	Industrial cleaner. Product is intended to be diluted prior to use.	
MSDS#	1027061	
Co. Name and Address: <b>Custom Chemical</b> Custom Chemicals Spartanburg, SC 29302 Phone: (864) 583-9408 (864) 680-4327		Print Date-10/27/06

**Section 2. Composition and Information on Ingredients**

Ingredients	CAS #	%	Exposure Limits	CL50/DL50
Orange Terpenes	68647-72-3		Not a hazardous mixture as defined in 29 CFR	
Methyl ester	67784-80-9		Not a hazardous mixture as defined in 29 CFR	

**Section 3. Hazards Identification**

Routes of Entry

Potential Acute Health Effects

Safety Glasses	Eyes	Contact will cause irritation, pain, and reddening. Prolonged exposure could cause blindness.
Gloves	Skin	Contact will cause a "soapy" feel and cause reddening. Prolonged exposure will cause mild burns.
Ventilation	Inhalation	Will be irritating to the throat and lungs.
Out of reach	Ingestion	If more than a mouthful is swallowed, abdominal discomfort, nausea, and diarrhea may occur.

Medical Condition Aggravated by Overexposure:

**Section 4. First Aid Measures**

Eye Contact	Flush Immediately with plenty of water. Get Medical attention if irritation occurs.
Skin Contact	Flush Immediately with plenty of water. Get Medical attention if irritation occurs.
Inhalation	Move to well ventilated area. Get medical attention if irritation persists.
Ingestion	Get medical attention immediately.

**Section 5. Fire Fighting Measures** **PRODUCT IS NOT COMBUSTIBLE.**

Flammability of the product	yes
Flash Point	108 F
Combustion of the product	None
Fire Fighting Media and Instructions	Extinguish with water spray or carbon dioxide, dry chemical powder or foam. Cool heat exposed containers with water spray.

**Section 6. Accidental Release Measures**

Personal Precautions	See section 8.
----------------------	----------------

Environmental Precautions and clean-up methods	In the event of major spillage: Use appropriate containment to avoid environmental contamination. Sweep or scrape up material. Place in suitable clean, dry containers for disposal by approved methods. Use water rinse for final clean-up.
--	--

**Section 7. Handling and Storage**

Handling	Avoid contact with skin and eyes. FOR INDUSTRIAL USE ONLY.
Storage	Store in a Cool Dry Place that is well ventilated. Protect from Freezing. KEEP OUT OF REACH OF CHILDREN.

**Section 8. Exposure Controls and Personal Protection**

Engineering Controls	Always Use in a well ventilated area.
----------------------	---------------------------------------

**Personal Protection**

<b>Eyes</b>	Always wear safety glasses when using cleaning agents.
<b>Hands</b>	Always wear rubber gloves when using cleaning agents.
<b>Respiratory</b>	Always use cleaning agents with adequate ventilation.
<b>Feet</b>	No special requirements
<b>Body</b>	No special requirements

**Section 9. Stability and Reactivity**

Physical Properties	Clear to hazy Odor solvent odor Color Clear to amber pH N/A Specific Gravity 0.8-0.82 Boiling Point 300-400 DEGREES F Melting/Freezing Point n/a Solubility in Water INSOLUBLE
---------------------	---

**Section 10. Stability and Reactivity**

Stability and Reactivity	Product is stable. Toxic levels of sulfur dioxide, carbon dioxide, carbon monoxide will occur if product is mixed with bleach, (sodium Hypochlorite)
Conditions of instability	Avoid high heat
Incompatibility with various substances	None
Products hazardous polymerization	Will not occur Will not occur

**Section 11. Toxicological information**

Acute toxicity	ORAL (LD50) estimated to be greater than 5000 mg/kg (rat)
Effects of chronic exposure	None known

**Section 12. Ecological Information**

Not available

**Section 13. Disposal considerations**

Waste information	No special precautions. Always dispose of according to federal and state regulations.
-------------------	---

**Section 14. Transportation Information**

DOT Classification	Not regulated
--------------------	---------------

**Section 15. Regulatory Information**

Reporting in section 15 is based in information on product ingredients	
US Regulations	This product is not regulated to reporting requirements under proposition 65.

**Section 16. Other information**

**To the Reader:**

This MSDS sheet has been prepared using sources from the manufacturer/supplier of the ingredients. This is not a warranty. All liability is beyond the seller's/supplier's control. User is responsible for the use, handling, and storage of this product and must comply with all Federal and State laws and regulations.

ASPHALT RELEASE

National Fire Protection Association(NFPA)

Health	1
Fire Hazard	1
Reactivity	0

Hazardous Material Information System (HMIS)

Health	1
Fire Hazard	1
Reactivity	0

**Section 1. Chemical Product and Company Identification**

Product Name	ASPHALT RELEASE	
Product Use:	Industrial cleaner and release agent for tar and cement equipment.	
MSDS#	1113061	Print Date-10/27/06
Co. Name and Address:	WaPer, Inc. 618 Sunset Blvd. West Columbia, SC 29169 (803) 791-1700	

**Section 2. Composition and Information on Ingredients**

Ingredients	CAS #	%	Exposure Limits	CL50/DL50
Orange Terpenes	68647-72-3			
		Not a hazardous mixture as defined in 29 CFR		
Methyl ester	67784-80-9			
		Not a hazardous mixture as defined in 29 CFR		

**Section 3. Hazards Identification**

Routes of Entry

Potential Acute Health Effects

Safety Glasses	Eyes	Contact will cause irritation, pain, and reddening. Prolonged exposure could cause blindness.
Gloves	Skin	Contact will cause a "soapy" feel and cause reddening. Prolonged exposure will cause mild burns.
Ventilation	Inhalation	Will be irritating to the throat and lungs.
Out of reach	Ingestion	If more than a mouthful is swallowed, abdominal discomfort, nausea, and diarrhea may occur.

Medical Condition Aggravated by Overexposure:

**Section 4. First Aid Measures**

Eye Contact	Flush Immediately with plenty of water. Get Medical attention if irritation occurs.
Skin Contact	Flush Immediately with plenty of water. Get Medical attention if irritation occurs.
Inhalation	Move to well ventilated area. Get medical attention if irritation persists.
Ingestion	Get medical attention immediately.

**Section 5. Fire Fighting Measures** **PRODUCT IS NOT COMBUSTIBLE.**

Flammability of the product	yes
Flash Point	293 F
Combustion of the product	None
Fire Fighting Media and Instructions	Extinguish with water spray or carbon dioxide, dry chemical powder or foam. Cool heat exposed containers with water spray.

**Section 6. Accidental Release Measures**

Personal Precautions	See section 8.
----------------------	----------------

Environmental Precautions and clean-up methods	In the event of major spillage: Use appropriate containment to avoid environmental contamination. Sweep or scrape up material. Place in suitable clean, dry containers for disposal by approved methods. Use water rinse for final clean-up.
--	--

**Section 7. Handling and Storage**

Handling	Avoid contact with skin and eyes. FOR INDUSTRIAL USE ONLY.
Storage	Store in a Cool Dry Place that is well ventilated. Protect from Freezing. KEEP OUT OF REACH OF CHILDREN.

**Section 8. Exposure Controls and Personal Protection**

Engineering Controls	Always Use in a well ventilated area.
----------------------	---------------------------------------

**Personal Protection**

<b>Eyes</b>	Always wear safety glasses when using cleaning agents.
<b>Hands</b>	Always wear rubber gloves when using cleaning agents.
<b>Respiratory</b>	Always use cleaning agents with adequate ventilation.
<b>Feet</b>	No special requirements
<b>Body</b>	No special requirements

**Section 9. Stability and Reactivity**

Physical Properties	Clear to hazy Odor solvent odor Color Clear to amber pH N/A Specific Gravity 0.8-0.82 Boiling Point 300-400 DEGREES F Melting/Freezing Point n/a Solubility in Water INSOLUBLE
---------------------	---

**Section 10. Stability and Reactivity**

Stability and Reactivity	Product is stable. Toxic levels of sulfur dioxide, carbon dioxide, carbon monoxide will occur if product is mixed with bleach, (sodium Hypochlorite)
Conditions of instability	Avoid high heat
Incompatibility with various substances	None
Products hazardous polymerization	Will not occur Will not occur

**Section 11. Toxicological information**

Acute toxicity	ORAL (LD50) estimated to be greater than 5000 mg/kg (rat)
Effects of chronic exposure	None known

**Section 12. Ecological Information**

Not available

**Section 13. Disposal considerations**

Waste information	No special precautions. Always dispose of according to federal and state regulations.
-------------------	---

**Section 14. Transportation Information**

DOT Classification	Not regulated
--------------------	---------------

**Section 15. Regulatory Information**

Reporting in section 15 is based in information on product ingredients	
US Regulations	This product is not regulated to reporting requirements under proposition 65.

**Section 16. Other information**

**To the Reader:**

This MSDS sheet has been prepared using sources from the manufacturer/supplier of the ingredients. This is not a warranty. All liability is beyond the seller's/supplier's control. User is responsible for the use, handling, and storage of this product and must comply with all Federal and State laws and regulations.

LIQUI-LIFT

National Fire Protection Association(NFPA)

Health	2
Fire Hazard	2
Reactivity	0

Hazardous Material Information System (HMIS)

Health	2
Fire Hazard	2
Reactivity	0

**Section 1. Chemical Product and Company Identification**

Product Name-----	LIQUI-LIFT		
Product Use:	Industrial cleaner. Product is intended to be diluted prior to use.		
MSDS#	1027061		
Co. Name and Address: <b>Custom Chemical Spartanburg, SC 29302</b>			Print Date-10/27/06
Custom Chemicals Spartanburg, SC 29302			
Phone: (864) 583-9408			
(864) 680-4327			

**Section 2. Composition and Information on Ingredients**

Ingredients	CAS #	%	Exposure Limits	CL50/DL50
Orange Terpenes	68647-72-3	Not a hazardous mixture as defined in 29 CFR	500ppm	
Aliphatic Petroleum Distillates-	64742-47-8			

**Section 3. Hazards Identification**

Routes of Entry

Potential Acute Health Effects

Safety Glasses	Eyes	Contact will cause irritation, pain, and reddening. Prolonged exposure could cause blindness.
Gloves	Skin	Contact will cause a "soapy" feel and cause reddening. Prolonged exposure will cause mild burns.
Ventilation	Inhalation	Will be irritating to the throat and lungs.
Out of reach	Ingestion	If more than a mouthful is swallowed, abdominal discomfort, nausea, and diarrhea may occur.

Medical Condition Aggravated by Overexposure:

**Section 4. First Aid Measures**

Eye Contact	Flush Immediately with plenty of water. Get Medical attention if irritation occurs.
Skin Contact	Flush Immediately with plenty of water. Get Medical attention if irritation occurs.
Inhalation	Move to well ventilated area. Get medical attention if irritation persists.
Ingestion	Get medical attention immediately.

**Section 5. Fire Fighting Measures** **PRODUCT IS NOT COMBUSTIBLE.**

Flammability of the product	yes
Flash Point	108 F
Combustion of the product	None
Fire Fighting Media and Instructions	Extinguish with water spray or carbon dioxide, dry chemical powder or foam. Cool heat exposed containers with water spray.

**Section 6. Accidental Release Measures**

Personal Precautions	See section 8.
----------------------	----------------

Environmental Precautions and clean-up methods	In the event of major spillage: Use appropriate containment to avoid environmental contamination. Sweep or scrape up material. Place in suitable clean, dry containers for disposal by approved methods. Use water rinse for final clean-up.
--	--

**Section 7. Handling and Storage**

Handling	Avoid contact with skin and eyes. FOR INDUSTRIAL USE ONLY.
Storage	Store in a Cool Dry Place that is well ventilated. Protect from Freezing. KEEP OUT OF REACH OF CHILDREN.

**Section 8. Exposure Controls and Personal Protection**

Engineering Controls	Always Use in a well ventilated area.
----------------------	---------------------------------------

**Personal Protection**

<b>Eyes</b>	Always wear safety glasses when using cleaning agents.
<b>Hands</b>	Always wear rubber gloves when using cleaning agents.
<b>Respiratory</b>	Always use cleaning agents with adequate ventilation.
<b>Feet</b>	No special requirements
<b>Body</b>	No special requirements

**Section 9. Stability and Reactivity**

Physical Properties	Clear to hazy Odor solvent odor Color Clear to amber pH N/A Specific Gravity 0.8-0.82 Boiling Point 300-400 DEGREES F Melting/Freezing Point n/a Solubility in Water INSOLUBLE
---------------------	---

**Section 10. Stability and Reactivity**

Stability and Reactivity	Product is stable. Toxic levels of sulfur dioxide, carbon dioxide, carbon monoxide will occur if product is mixed with bleach, (sodium Hypochlorite)
Conditions of instability	Avoid high heat
Incompatibility with various substances	None
Products hazardous polymerization	Will not occur Will not occur

**Section 11. Toxicological information**

Acute toxicity	ORAL (LD50) estimated to be greater than 5000 mg/kg (rat)
Effects of chronic exposure	None known

**Section 12. Ecological Information**

Not available

**Section 13. Disposal considerations**

Waste information	No special precautions. Always dispose of according to federal and state regulations.
-------------------	---

**Section 14. Transportation Information**

DOT Classification	Not regulated
--------------------	---------------

**Section 15. Regulatory Information**

Reporting in section 15 is based in information on product ingredients	
US Regulations	This product is not regulated to reporting requirements under proposition 65.

**Section 16. Other information**

**To the Reader:**

This MSDS sheet has been prepared using sources from the manufacturer/supplier of the ingredients. This is not a warranty. All liability is beyond the seller's/supplier's control. User is responsible for the use, handling, and storage of this product and must comply with all Federal and State laws and regulations.

**LIQUI-LIFT**

National Fire Protection Association(NFPA)

Health	2
Fire Hazard	2
Reactivity	0

Hazardous Material Information System (HMIS)

Health	2
Fire Hazard	2
Reactivity	0

**Section 1. Chemical Product and Company Identification**

Product Name-----	LIQUI-LIFT
Product Use:	Industrial cleaner. Product is intended to be diluted prior to use.
MSDS#	120051

Print Date-11/20/04

Co. Name and Address:

WaPer, Inc.  
618 Sunset Blvd.  
West Columbia, SC 29169  
(803) 791-1700

**Section 2. Composition and Information on Ingredients**

Ingredients	CAS #	%	Exposure Limits	CL50/DL50
Orange Terpenes	68647-72-3	Not a hazardous mixture as defined in 29 CFR	500ppm	
Aliphatic Petroleum Distillates-	64742-47-8			

**Section 3. Hazards Identification**

Routes of Entry

Potential Acute Health Effects

Safety Glasses	Eyes	Contact will cause irritation, pain, and reddening. Prolonged exposure could cause blindness.
Gloves	Skin	Contact will cause a "soapy" feel and cause reddening. Prolonged exposure will cause mild burns.
Ventilation	Inhalation	Will be irritating to the throat and lungs.
Out of reach	Ingestion	If more than a mouthful is swallowed, abdominal discomfort, nausea, and diarrhea may occur.

Medical Condition Aggravated by Overexposure:

**Section 4. First Aid Measures**

Eye Contact	Flush Immediately with plenty of water. Get Medical attention if irritation occurs.
Skin Contact	Flush Immediately with plenty of water. Get Medical attention if irritation occurs.
Inhalation	Move to well ventilated area. Get medical attention if irritation persists.
Ingestion	Get medical attention immediately.

**Section 5. Fire Fighting Measures**

**PRODUCT IS NOT COMBUSTIBLE.**

Flammability of the product	yes
Flash Point	108 F
Combustion of the product	None
Fire Fighting Media and Instructions	Extinguish with water spray or carbon dioxide, dry chemical powder or foam. Cool heat exposed containers with water spray.

**Section 6. Accidental Release Measures**

Personal Precautions See section 8.

Environmental Precautions and clean-up methods	In the event of major spillage: Use appropriate containment to avoid environmental contamination. Sweep or scrape up material. Place in suitable clean, dry containers for disposal by approved methods. Use water rinse for final clean-up.
--	--

**Section 7. Handling and Storage**

Handling	Avoid contact with skin and eyes. FOR INDUSTRIAL USE ONLY.
Storage	Store in a Cool Dry Place that is well ventilated. Protect from Freezing. KEEP OUT OF REACH OF CHILDREN.

**Section 8. Exposure Controls and Personal Protection**

Engineering Controls	Always Use in a well ventilated area.
----------------------	---------------------------------------

**Personal Protection**

<b>Eyes</b>	Always wear safety glasses when using cleaning agents.
<b>Hands</b>	Always wear rubber gloves when using cleaning agents.
<b>Respiratory</b>	Always use cleaning agents with adequate ventilation.
<b>Feet</b>	No special requirements
<b>Body</b>	No special requirements

**Section 9. Stability and Reactivity**

Physical Properties	Clear to hazy Odor solvent odor Color Clear to amber pH N/A Specific Gravity 0.8-0.82 Boiling Point 300-400 DEGREES F Melting/Freezing Point n/a Solubility in Water INSOLUBLE
---------------------	---

**Section 10. Stability and Reactivity**

Stability and Reactivity	Product is stable. Toxic levels of sulfur dioxide, carbon dioxide, carbon monoxide will occur if product is mixed with bleach, (sodium Hypochlorite)
Conditions of instability	Avoid high heat
Incompatibility with various substances	None
Products hazardous polymerization	Will not occur Will not occur

**Section 11. Toxicological information**

Acute toxicity	ORAL (LD50) estimated to be greater than 5000 mg/kg (rat)
Effects of chronic exposure	None known

**Section 12. Ecological Information**

Not available

**Section 13. Disposal considerations**

Waste information	No special precautions. Always dispose of according to federal and state regulations.
-------------------	---

**Section 14. Transportation Information**

DOT Classification	Not regulated
--------------------	---------------

**Section 15. Regulatory Information**

Reporting in section 15 is based in information on product ingredients	
US Regulations	This product is not regulated to reporting requirements under proposition 65.

**Section 16. Other information**

**To the Reader:**

This MSDS sheet has been prepared using sources from the manufacturer/supplier of the ingredients. This is not a warranty. All liability is beyond the seller's/supplier's control. User is responsible for the use, handling, and storage of this product and must comply with all Federal and State laws and regulations.

National Fire Protection Association(NFPA)

Health	2
Fire Hazard	1
Reactivity	0

Hazardous Material Information System (HMIS)

Health	2
Fire Hazard	1
Reactivity	0

**Section 1. Chemical Product and Company Identification**

Product Name-----	DH-Limonene
Product Use:	Industrial cleaner. Product is intended to be diluted prior to use.
MSDS#	120051

Print Date-11/20/04

Co. Name and Address: **Custom Chemical**  
 Custom Chemicals **Spartanburg, SC 29302**  
 Spartanburg, SC 29302  
 Phone: (864) 583-9408  
 (864) 680-4327

**Section 2. Composition and Information on Ingredients**

Ingredients	CAS #	%	Exposure Limits	CL50/DL50
Nonionic Surfactant	9016-45-9	2 to 10		Oral Acute at 1230 Mg/kg rat
Citrus Solvents	Not a hazardous mixture as defined in 29 CFR 1910, 1200 and M.G.L. c. 111 F.			Dermal acte:2000 mg/kg rabbit
2-Butoxyethanol	11-76-2	2 to 10	OSHA TWA:120mg/3 ACGIH TWA 97mg/m3	Oral acute-506 mg/kg rat Dermal acute-406 mg/kg rabbit Vapor : 450 ppm 4hrs rat
EDTA	64-02-B	1 to 5		Oral: 5g/kg rat Dermal 2g/kg rabbit
Sodium Hydroxide	1310-73-2	1 to 5		Oral: 3000 mg/kg rat Dermal: 3500mg/kg rat

**Section 3. Hazards Identification**

Routes of Entry

Potential Acute Health Effects

Safety Glasses	Eyes	Contact will cause irritation, pain, and reddening. Prolonged exposure could cause blindness.
Gloves	Skin	Contact will cause a "soapy" feel and cause reddening.Prlonged exposure will cause mild burns.
Ventilation	Inhalation	Will be irritating to the throat and lungs.
Out of reach	Ingestion	If more that a mouthful is swallowed, abdominal discomfort, nausea, and diarrhea may occur.

Medical Condition Agrivated by Overexposure:

**Section 4. First Aid Measures**

Eye Contact	Flush Immediately with plenty of water. Get Medical attention if irritation occurs.
Skin Contact	Flush Immediately with plenty of water. Get Medical attention if irritation occurs.
Inhalation	Move to well ventilated area. Get medical attention if irritation persists.
Ingestion	Get medical attention immediateley.

**Section 5. Fire Fighting Measures** **PRODUCT IS NOT COMBUSTIBLE.**

Flammability of the product	None
Flash Point	None
Combustion of the product	None
Fire Fighting Media and Instructions	Extinguish with water spray or carbon dioxide, dry chemical powder or foam.

**Section 6. Accidental Release Measures**

Personal Precautions	See section 8.
Environmental Precautions and clean-up methods	In the event of major spillage: Use appropriate containment to avoid environmental contamination. Sweep or scrape up material. Place in suitable clean, dry containers for disposal by approved methods. Use water rinse for final

clean-up.

**Section 7. Handling and Storage**

Handling Avoid contact with skin and eyes. FOR INDUSTRIAL USE ONLY.  
Storage Store in a Cool Dry Place that is well ventilated. Protect from Freezing.  
KEEP OUT OF REACH OF CHILDREN.

**Section 8. Exposure Controls and Personal Protection**

Engineering Controls Always Use in a well ventilated area.

**Personal Protection**

**Eyes** Always wear safety glasses when using cleaning agents.  
**Hands** Always wear rubber gloves when using cleaning agents.  
**Respiratory** Always use cleaning agents with adequate ventilation.  
**Feet** No special requirements  
**Body** No special requirements

**Section 9. Stability and Reactivity**

Physical Properties Liquid  
Odor strong citrus odor  
Color clear green amber liquid  
pH 12 to 12.5  
Specific Gravity 1.10=water=1  
Boiling Point 212 degrees F  
Melting/Freezing Point n/a  
Solubility in Water Complete

**Section 10. Stability and Reactivity**

Stability and Reactivity Product is stable. Toxic levels of sulfur dioxide, carbon dioxide, carbon monoxide will occur if product is mixed with bleach, (sodium Hypochlorite)  
Conditions of instability None  
Incompatibility with various substances None  
Products hazardous polymerization Will not occur  
polymerization Will not occur

**Section 11. Toxicological information**

Acute toxicity ORAL (LD50) estimated to be greater than 5000 mg/kg (rat)  
Effects of chronic exposure None known

**Section 12. Ecological Information**

Not available

**Section 13. Disposal considerations**

Waste information No special precautions. Always dispose of according to federal and state regulations.

**Section 14. Transportation Information**

DOT Classification  
Not regulated

**Section 15. Regulatory Information**

Reporting in section 15 is based in information on product ingredients  
US Regulations This product is not regulated to reporting requirements under proposition 65.

**Section 16. Other information**

**To the Reader:**

This MSDS sheet has been prepared using sources from the manufacturer/supplier of the ingredients. This is not a warranty. All liability is beyond the seller's/supplier's control. User is responsible for the use, handling, and storage of this product and must comply with all Federal and State laws and regulations.