

SAFETY DATA SHEET

Trackrite

Section 1. Identification

GHS product identifier : Trackrite
Other means of identification : None.
Product type : Solid.

Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Abrasive sandblasting applications.

Supplier's details : Blastrite (Pty) Ltd
PO Box 5515
Cape Town, 8000,
South Africa
email: sales@blastrite.co.za
Website: www.blastrite.com

Emergency phone: : 08600 BLAST
Tel: +27 (0)21 417 1700
Fax: +27 (0)21 425 2970

Section 2. Hazards identification

Classification of the substance or mixture : Not classified.

SANS 10234: 2007 (GHS) label elements

Signal word : No signal word.
Hazard statements : No known significant effects or critical hazards.
Precautionary statements
Prevention : Not applicable.
Response : Not applicable.
Storage : Not applicable.
Disposal : Not applicable.

Other hazards which do not result in classification : Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat.

Section 3. Composition/information on ingredients

Substance/mixture : Mixture
Other means of identification : None.

CAS number/other identifiers

CAS number : Not applicable.

Section 3. Composition/information on ingredients

EC number : Mixture.

Product code : Not available.

Ingredient name	%	CAS number
silica, crystalline - quartz	None	14808-60-7
silica, amorphous	40 - 50	7631-86-9
iron(iii)oxide	15 - 35	1309-37-1
magnesium oxide	15 - 25	1309-48-4
calcium oxide	5 - 10	1305-78-8
aluminium oxide	5 - 10	1344-28-1
chromium (III) oxide	1 - 5	1308-38-9

Trace elements (<1%) include potassium oxides, sodium oxides, titanium oxides, manganese oxides, phosphorus oxides, and vanadium oxides.

Electric arc furnace slags mainly consist of compounds containing complex minerals such as dicalciumsilicate (Ca₂SiO₄), dicalciumferrite (Ca₂Fe₂O₅) and wuestite (Fe_{1-x-y}MgxMny)Oz. Some of the constituents may also occur as separate compounds such as CaCo₃, CaS, Fe, Fe₂O₃, CaSO₄*2H₂O.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necessary first aid measures

- Eye contact** : In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if irritation develops.
- Inhalation** : No effect when product is in its virgin state.
- If used in a process which generates dust, remove victim to fresh air and keep at rest in a position comfortable for breathing. Loosen tight clothing such as a collar, tie, belt or waistband. Get medical attention immediately.
- Skin contact** : Flush contaminated skin with plenty of water. Get medical attention if irritation develops.
- Ingestion** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention immediately.

Most important symptoms/effects, acute and delayed

Potential acute health effects

- Eye contact** : No significant irritation expected other than possible mechanical irritation.
- Inhalation** : No effect when product is in its virgin state.
- If used in a process which generates dust, no significant irritation expected other than possible mechanical irritation.
- Skin contact** : None identified.
- Ingestion** : None identified.

Over-exposure signs/symptoms

- Eye contact** : Adverse symptoms may include the following:
pain
watering
redness

Section 4. First aid measures

- Inhalation** : No effect when the product is in its virgin state.
 If used in a process which generates dust, exposure can cause coughing, chest pains and difficulty in breathing.
- Skin contact** : No specific data.
- Ingestion** : No specific data.

Indication of immediate medical attention and special treatment needed, if necessary

- Notes to physician** : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
- Specific treatments** : No specific treatment.
- Protection of first-aiders** : No special measures required.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media

- Suitable extinguishing media** : Non-flammable substance.
- Unsuitable extinguishing media** : Not applicable.

- Specific hazards arising from the chemical** : Not applicable.
- Hazardous thermal decomposition products** : Not applicable.

- Special protective actions for fire-fighters** : No special measures are required.
- Special protective equipment for fire-fighters** : No special protection is required.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No special measures are typically indicated.
- For emergency responders** : No special measures are typically indicated.
- Environmental precautions** : No special measures are required.

Methods and materials for containment and cleaning up

- Small spill** : Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Move containers from spill area. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see section 1 for emergency contact information and section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling : **If used in a process which generates dust:**
Put on appropriate personal protective equipment (see Section 8). If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use.

Conditions for safe storage, including any incompatibilities : Store in accordance with local regulations. Store in a dry, well-ventilated area, away from incompatible materials (see section 10) and food and drink.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
silica, amorphous	Occupational Health and Safety Act, 1993 (South Africa) TWA: OEL:RL 6 mg/m ³ (total inhalable dust) TWA: OEL:RL 3 mg/m ³ (respirable fraction)
calcium oxide	ACGIH TLV (United States, 2/2010). TWA: 2 mg/m ³ 8 hour(s). Occupational Health and Safety Act, 1993 (South Africa) TWA: OEL:RL 2 mg/m ³
Chromium, Chromium II compounds as Cr, Chromium III compounds Cr.	ACGIH TLV (United States, 2/2010). TWA: 0.5 mg/m ³ , (measured as Cr) 8 hour(s). Form: Inorganic Occupational Health and Safety Act, 1993 (South Africa) TWA: OEL:RL 0.5 mg/m ³
iron(iii)oxide	ACGIH (United States). TWA: 5 mg/m ³ ACGIH TLV (United States, 2/2010). TWA: 5 mg/m ³ 8 hour(s). Form: Respirable fraction
aluminium oxides	Occupational Health and Safety Act, 1993 (South Africa) TWA: OEL:RL 10 mg/m ³ (total inhalable dust) TWA: OEL:RL 5 mg/m ³ (respirable fraction)
magnesium oxide	ACGIH TLV (United States, 2/2010). TWA: 10 mg/m ³ 8 hour(s). Form: Inhalable fraction ACGIH (United States). TWA: 10 mg/m ³ Occupational Health and Safety Act, 1993 (South Africa) TWA: OEL:RL 5 mg/m ³ (total inhalable dust) TWA: OEL:RL 10 mg/m ³ (respirable fraction)

Recommended monitoring procedures : If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.

Section 8. Exposure controls/personal protection

- Appropriate engineering controls** : If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
- Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

Individual protection measures

- Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
- Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to dusts.
- Hand protection** : Wear gloves if a risk assessment indicates this is necessary.
- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : **If used in a process which generates dust:**
Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Section 9. Physical and chemical properties

- Physical state** : Solid. [Crystalline granules.]
- Color** : Black.
- Odor** : Odorless.
- Odor threshold** : Not available.
- pH** : Not applicable.
- Melting point** : 1280°C (2336°F)
- Boiling point** : Not available.
- Flash point** : Product does not sustain combustion.
- Evaporation rate** : Not available.
- Flammability (solid, gas)** : Non-flammable.
- Lower and upper explosive (flammable) limits** : Not applicable.
- Vapor pressure** : Not available.
- Vapor density** : Not available.
- Relative density** : 3.2
- Solubility** : Insoluble in the following materials: cold water and hot water.
- Partition coefficient: n-octanol/water** : Not applicable.
- Auto-ignition temperature** : Not applicable.
- Decomposition temperature** : Not available.
- Viscosity** : Not applicable.

Section 10. Stability and reactivity

- Reactivity** : No specific test data related to reactivity available for this product or its ingredients.
- Chemical stability** : The product is stable.
- Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.
- Conditions to avoid** : Incompatible with some strong acids.
- Incompatible materials** : Strong inorganic and organic acids may release heavy metals, that are present in the grit, into the environment.
- Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
silicon dioxide	LD50 Oral	Rat	3160 mg/kg	-

Information on the likely routes of exposure : Inhalation of dust.

Potential acute health effects

- Eye contact** : No significant irritation expected other than possible mechanical irritation.
- Inhalation** : No effect when product is in its virgin state.
If used in a process which generates dust, no significant irritation expected other than possible mechanical irritation.
- Skin contact** : None identified.
- Ingestion** : None identified.

Symptoms related to the physical, chemical and toxicological characteristics

- Eye contact** : Adverse symptoms may include the following:
pain
watering
redness
- Inhalation** : No effect when the product is in its virgin state.
If used in a process which generates dust, exposure can cause coughing, chest pains and difficulty in breathing.
- Skin contact** : No specific data.
- Ingestion** : No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

- Potential immediate effects** : No specific data.
- Potential delayed effects** : No specific data.

Long term exposure

- Potential immediate effects** : No specific data.

Section 11. Toxicological information

Potential delayed effects : No specific data.

Potential chronic health effects

General : No known significant effects or critical hazards.
Carcinogenicity : No known significant effects or critical hazards.
Mutagenicity : No known significant effects or critical hazards.
Teratogenicity : No known significant effects or critical hazards.
Developmental effects : No known significant effects or critical hazards.
Fertility effects : No known significant effects or critical hazards.

Numerical measures of toxicity

Acute toxicity estimates

Route	ATE value
Oral	3235.2 mg/kg

Section 12. Ecological information

Toxicity

No specific data.

Persistence and degradability

No specific data.

Bioaccumulative potential

No specific data.

Mobility in soil

Soil/water partition coefficient (K_{oc}) : No specific data.
Mobility : Low mobility of hazardous heavy metal content in soil and water is expected.

Other adverse effects

No known significant effects or critical hazards.

Section 13. Disposal considerations

Disposal methods : Non-hazardous waste.

Waste must be disposed to a landfill permitted in terms of the Department of Water Affairs and Forestry's minimum requirements for waste disposal to landfill, and the minimum requirements for the handling, classification and disposal of hazardous waste. Waste must be disposed of in a Class C or GLB+ landfill. This would be a general waste landfill with a leachate management (liner and collection system) and monitoring system.

Section 14. Transport information

	SANS 10228:2012	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-
Transport hazard class(es)	-	-	-
Packing group	-	-	-
Environmental hazards	No.	No.	No.
Additional information	-	-	-

Section 15. Regulatory information

Safety, health and environmental regulations specific for the product : No known specific national and/or regional regulations applicable to this product (including its ingredients).

Section 16. Other information**History**

Date of printing : 2/10/2014.
 Date of issue/Date of revision : 2/10/2014.
 Date of previous issue : 11/09/2006
 Version : 2

Key to abbreviations : ATE = Acute Toxicity Estimate
 BCF = Bioconcentration Factor
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals
 IATA = International Air Transport Association
 IBC = Intermediate Bulk Container
 IMDG = International Maritime Dangerous Goods
 LogPow = logarithm of the octanol/water partition coefficient
 MARPOL 73/78 = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
 RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
 UN = United Nations

References : Toxnet.

☑ Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.