

TESCH CHEMICAL COMPANY

P.O. BOX 631
APPLETON, WI 54912

PAGE 1 OF 2

MATERIAL SAFETY DATA SHEET

DATE: 09/06/94

PRODUCT NO. : TC195

PHONE NO. : 920-739-7331

SECTION 1 - PRODUCT IDENTIFICATION

ATTN: PLANT MGR / SAFETY DIR.

PRODUCT NO. : TC195

PRODUCT NAME : ~~TECO YELLOW II~~

PRODUCT CLASS : ALL PURPOSE

CLEANER--PH 8.5-9

SECTION 2 - HAZARDOUS INGREDIENTS

INGREDIENT:	PERCENT	OCCUPATIONAL EXPOSURE LIMITS TLV	VAPOR PRESSURE PEL
TALL OIL MONOETHANOLAMINE SOAP *68440-25-5	8.33%	NOT KNOWN	NOT KNOWN
ALKYL PHENOL ETHOXYLATE *9016-45-9	1.5%	NOT KNOWN	< 1 MMHG

HAZARD RATING: HEALTH = 1 FLAMMABILITY = 0 REACTIVITY = 0

SECTION 3 - PHYSICAL DATA

BOILING RANGE: NA VAPOR DENSITY: NA
EVAPORATION RATE: [] FASTER [X] SLOWER THAN ETHER 91.36% VOLATILE
WEIGHT/GALLON: 8.3254 #/GAL.

SECTION 4 - FIRE AND EXPLOSION HAZARD DATA

FLAMMABILITY CLASSIFICATION: OSHA -NOT APPLICABLE LEL -NOT APPLICABLE
DOT -NOT APPLICABLE

FLASH POINT: -NOT APPLICABLE

EXTINGUISHING MEDIA: [] FOAM [] "ALCOHOL" FOAM [] DRY CHEMICAL
[] CO2 [X] WATER FOG [] OTHER

UNUSUAL FIRE AND EXPLOSION HAZARDS: -NONE KNOWN.

SPECIAL FIREFIGHTING PROCEDURES: --USE WATER TO COOL FIRE EXPOSED CONTAINERS.

MATERIAL SAFETY DATA SHEET

PRODUCT NO. : TC195

PAGE 2 OF 2

PRODUCT NAME: TECO YELLOW II

SECTION 5 - HEALTH HAZARD DATA

EFFECTS OF OVEREXPOSURE :

EYES: CAUSES MONDERATE EYE IRRITATION.

INHALATION : BELIEVED TO BE MINIMALLY IRRITATING.

SKIN CONTACT : SLIGHTLY IRRITATING WITH POSSIBLE REDNESS, OR DRYING.

FIRST AID PROCEDURES :

EYE : FLUSH THOROUGHLY WITH WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION.

SKIN : WASH EXPOSED AREAS WITH SOAP AND WATER.

INGESTION : GIVE TWO GLASSES OF WATER, OR PREFERABLY MILK, AND INDUCE VOMITING BY PUTTING FINGER DOWN THROAT.

INHALATION : REMOVE TO FRESH AIR. CALL A PHYSICIAN IF SYMPTOMS PERSIST.

SECTION 6 - REACTIVITY DATA

STABILITY: UNSTABLE STABLE

HAZARDOUS POLYMERIZATION: MAY OCCUR WILL NOT OCCUR

HAZARDOUS DECOMPOSITION PRODUCTS : BURNING CAN PRODUCE NITROGEN OXIDES, CARBON MONOXIDE, AND/OR CARBON DIOXIDE.

CONDITIONS TO AVOID: (SEE SECTION 9)

INCOMPATIBILITY : (MATERIALS TO AVOID)-- STRONG ACIDS, STRONG OXIDIZING AGENTS.

SECTION 7 - SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED : FLUSH TO DRAIN WITH LARGE AMOUNTS OF WATER. LARGE SPILLS, COVER WITH SAND OR SWEEPING COMPOUND AND PICK UP INTO CONTAINERS.

WASTE DISPOSAL: DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE, AND FEDERAL REGULATIONS.

SECTION 8 -SAFE HANDLING AND USE INFORMATION

RESPIRATORY PROTECTION : USE WITH ADWQUATE VENTILATION.

VENTILATION : MECHANICAL EXHAUST IF VENTILATION IS NOT ADEQUATE.

PROTECTIVE GLOVES : RUBBER OR PLASTIC IF PROLONGED CONTACT IS LIKELY.

EYE PROTECTION : GOGGLES OR FACE SHIELD IF SPLASHING IS LIKELY.

OTHER PROTECTIVE EQUIPMENT : NONE CONSIDERED NECESSARY.

SECTION 9 - SPECIAL PRECAUTIONS

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING:

KEEP FROM FREEZING.

KEEP OUT OF REACH OF CHILDREN.

THE INFORMATION HEREIN IS GIVEN IN GOOD FAITH BUT NO WARRANTY, EXPRESSED OR IMPLIED, IS MADE.