



Burgon Tool Steel Co. Inc.

Tide Mill Road • Box 1510 • Hampton, New Hampshire 03842-0025

EMERGENCY PHONE NUMBER: (603) 926-1994

ISSUE DATE: 1/6/86

MATERIAL SAFETY DATA SHEET

TRADE NAME (COMMON OR SYNONYM)

TOOL STEELS

CHEMICAL NAME:

AIR HARDENING, OIL HARDENING, WATER HARDENING
HIGH SPEED

1. INGREDIENTS

MATERIAL OR COMPOUND	CAS Number	%WEIGHT	EXPOSURE LIMITS	
			OSHA PEL (mg/m3)	ACHIG TLV (mg/m3)
Carbon (C)	7440-44-0	0 - 3	3.5	3.5
Chromium (Cr)	7440-47-3	0 - 14	1.0	0.5
Cobalt (Co)	7440-48-4	0 - 12	0.05	0.05
Iron (Fe)	1309-37-1	50 - 98	10	5
Manganese (Mn)	7439-96-5	0 - 3	5	5
Molybdenum (Mo)	7439-98-7	0 - 9	15	10
Nickel (Ni)	7440-02-0	0 - 5	1	1
Silicon (Si)	7440-21-3	0 - 3	10	10
Tungsten (T)	7440-33-7	0 - 19	5	5
Vanadium (V)	1314-62-1	0 - 5	0.1	0.05

NOTE: The above listing is a summary of the principle elements. Various grades of Tool Steel will contain varying amounts or combinations of these elements. Other elements may also be present in minute amounts.

2. PHYSICAL DATA

BOILING POINT:	≥5000 F	MELTING POINT:	Approximately 2500 F
SPECIFIC GRAVITY (H ₂ O=1):	Approx. 7.8-8.2 (60 F)	VAPOR PRESSURE:	N/A
VAPOR PRESSURE: (AIR=1):	N/A	SOLUBILITY IN H ₂ O:	Insoluble
% VOLATILES BY VOLUME:	N/A	EVAPORATION (BUTYLACETATE=1)	N/A
APPEARANCE AND ODOR:	Various shapes, Solid Odorless Metal		

3. FIRE AND EXPLOSION DATA

Flash Point: NONE Fire Point: NONE

4. HEALTH HAZARD INFORMATION

WE DO NOT CONSIDER THIS PRODUCT IN THE FORM IT IS SOLD TO CONSTITUTE A PHYSICAL HAZARD OR A HEALTH HAZARD. SUBSEQUENT OPERATIONS SUCH AS ABRADING, MELTING, WELDING, CUTTING OR PROCESSING IN ANY OTHER FASHION THAT CAUSES A RELEASE OF DUST OR FUME MAY CAUSE SOME INGREDIENTS TO CHANGE TO A FORM WHICH COULD AFFECT EXPOSED WORKERS.

PRIMARY ROUTES OF ENTRY:	Inhalation	EMERGENCY FIRST AID:	Remove to fresh air, if condition continues - consult physician.
	Eye Contact		Flush well with running water to remove particulate. Get medical attention.
	Skin Contact		Brush off excess dust. Wash area well with soap and water.
	Ingestion		Seek medical help if large quantities of material have been ingested.

EFFECTS OF OVEREXPOSURE:

ACUTE: Short term overexposure to the dust, fumes and/or oxides of certain components of steel products may cause irritation of the eyes, nose or throat; or, may result in metal fume fever characterized by a metallic or sweet taste, dryness and irritation of the throat, wheezing, discoloration of the tongue and flu-like symptoms.

CHRONIC: Excessive and prolonged overexposure to the dust fumes and/or oxides of certain components of steel products may result in chronic interstitial pneumonitis, discoloration of the skin and hair; allergic bronchitis, neoplasms or loss of coordination and balance.

(OVER)

EFFECTS OF OVEREXPOSURE CONT'D:

ACUTE:

CARBON (C) - Irritation of eyes and mucous membranes.
MANGANESE (Mn) - Irritation of eyes, nose and throat; metallic taste in the mouth; acute pneumonia and pneumonitis (respiratory disease).
IRON (Fe) - Irritation of eyes, nose and throat; metal fume fever.
CHROMIUM (Cr) - Irritation of eyes and mucous membranes, dermatitis, skin ulcers and nasal septum perforation.
NICKEL (Ni) - Irritation of eyes and mucous membranes, dermatitis, "nickel itch", pulmonary edema, asthma, headache and vomiting.
MOLYBDENUM (Mo) - Irritation of eyes and mucous membranes.
VANADIUM (V) - As vanadium pentoxide dust or fumes, it may cause irritation of eyes, nose and respiratory tract.
ALUMINUM (Al) - Possible irritation of eyes and mucous membranes.
COBALT (Co) - Irritation of eyes and mucous membranes.
COPPER (Cu) - Irritation of eyes, nose and throat; metal fume fever.
BORON (B) - Irritation of nose and throat.
TANTALUM (Ta) - Dust may cause slight irritation to eyes, nose and throat.
TITANIUM (Ti) - Considered a physiologically inert dust; however, high concentrations may cause irritation of eyes and mucous membranes.
TUNGSTEN (W) - No adverse health effects have been reported in humans.

CHRONIC:

CARBON (C) - Irritation of eyes and mucous membranes.
MANGANESE (Mn) - Inhalation of fumes and dust can cause central nervous system disturbances, increased upper respiratory disorders and infections, cumulative lung damage, psychiatric disorders, liver cirrosis and anemia.
IRON (Fe) - Inhalation of iron oxide fumes and dust may cause chronic bronchitis, conjunctivitis, choroiditis, retinitis and siderosis of tissues.
CHROMIUM (Cr) - The toxicity and health hazards of chromium are heavily dependent upon its oxidation state. Trivalent and devalent chromalum, as in chromalum metal and chromium-containing alloys have a low order of toxicity. The hexavalent form (chromates and chromic acids) may cause irritant and allergic contact dermatitis, skin ulcers and nasal irritation varying from rhinitis to perforation of the nasal septum. Reported carcinogen.
NICKEL (Ni) - Nickel dust or fume can cause sensitization dermatitis, "nickel itch", and may cause paranasal sinuses and lungs.
MOLYBDENUM (Mo) - Human industrial poisoning by molybdenum has not yet been reported.
VANADIUM (V) - As vanadium pentoxide dust or fumes, it may cause irritation of eyes, nose and respiratory tract (more severe than acute exposure), chronic bronchitis and allergic skin rash.
ALUMINUM (Al) - Possible irritation of eyes and mucous membranes. Reported as a cause of pulmonary fibrosis.
COBALT (Co) - May cause allergic skin rashes and respiratory disease.
COPPER (Cu) - Skin irritation; discoloration of the skin or the hair and metal fume fever.
BORON (B) - Possible irritation of the respiratory tract and nose bleeds.
TANTALUM (Ta) - Dust may cause slight irritation to eyes, nose and throat.
TITANIUM (Ti) - Considered a physiologically inert dust; however, high concentrations may cause irritation of eyes and mucous membranes.
TUNGSTEN (W) - No adverse health effects have been reported in humans.

5. REACTIVITY DATA

STABILITY:

Chemically Stable

INCOMPATIBILITY:

Reacts with Strong Acids to Generate Hydrogen Gas

HAZARDOUS DECOMPOSITION PRODUCTS:

Metallic Oxides

6. SPILL OR LEAK PROCEDURES

STEPS TO BE TAKEN IN CASE OF RELEASE OR SPILL:

N/A

WASTE DISPOSAL METHOD:

Solids - Sale as Scrap
Dusts, etc. - Follow Federal, State and Local Regulations
Regarding Disposal

7. SPECIAL PROTECTION INFORMATION

VENTILATION REQUIREMENTS:

General - Recommended

Local - As Required

PERSONAL PROTECTIVE EQUIPMENT:

Respiratory Protection: If fumes, misting or dust condition occurs and TLV as indicated in Section 1 is exceeded, provide NIOSH approved respirators.
Eye Protection: Recommended.
Gloves: As Required.
Other Clothing or Equipment: As Required.

8. SPECIAL PRECAUTIONS

USE GOOD HOUSE KEEPING PRACTICES TO PREVENT ACCUMULATIONS OF DUSTS AND TO KEEP AIRBORNE DUST CONCENTRATIONS AT A MINIMUM.

DISCLAIMER

The information in this MSDS was obtained from sources which we believe are reliable. However, the information is provided without any representation or warranty, express or implied, regarding the accuracy or correctness. The conditions or methods of handling, storage, use and disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.