



Preventive Services

COVERAGE OF PREVENTIVE SERVICES

The WEA Trust health plans will cover 100% of the cost of defined preventive services (without requiring deductibles, coinsurance, and copayments) if provided by a Network provider.

WHAT IS INCLUDED?

The list of preventive services includes, but is not limited to, preventive office visits, screenings for chronic diseases, immunizations, tobacco use screening and cessation services, and screening and counseling for alcohol misuse.

On this sheet you'll find a list of preventive services exempt from cost sharing. An online version can be found on the WEA Trust Web site at weatrust.com/preventive.

COVERED PREVENTIVE SERVICES FOR WOMEN

The following services for women were newly added January 1, 2013. A complete list of previously covered services follows this.

Well-Woman Visits This would include an annual well-woman preventive care visit for adult women to obtain the recommended preventive services, and additional visits if women and their health care providers determine they are necessary. These visits will help women and their health care providers determine what preventive services are appropriate and set up a plan for future health.

Gestational Diabetes Screenings that help protect the mother and her child from one of the most serious pregnancy-related diseases.

Domestic and Interpersonal Violence Screening and counseling as part of an office visit.

FDA-approved Contraceptive Products which have proven health benefits like a reduced risk of cancer and protecting against osteoporosis.

Breastfeeding support, supplies, and counseling.

HPV DNA Testing for women 30 or older.

Sexually Transmitted Infections counseling.

HIV screening and counseling.

COVERED PREVENTIVE SERVICES FOR ADULTS

Abdominal Aortic Aneurysm one-time screening for men of specified ages who have ever smoked

Alcohol Misuse screening and counseling

Anemia screening on a routine basis for pregnant women

Bacteriuria urinary tract or other infection screening for pregnant women

BRCA counseling about genetic testing for women at higher risk

Breast Cancer Chemoprevention counseling for women at higher risk



Breast Cancer Mammography screenings every 1 to 2 years for women over 40

Breast Feeding interventions to support/promote breast feeding including rental of breast pumps

Cervical Cancer screening for women

Chlamydia Infection screening for younger women and other women at higher risk

Cholesterol screening for adults of certain ages or at higher risk

Colorectal Cancer screening for adults over 50

Contraceptives requiring a prescription

Diabetes Type 2 screening for adults with high blood pressure

Gestational Diabetes screening for pregnant women

Gonorrhea screening for all women at higher risk

Hepatitis B screening for pregnant women at first prenatal visit

HIV screening for all adults at higher risk

HPV testing for women

Immunization vaccines —(recommendations vary for doses, ages, and populations)

- Hepatitis A
- Hepatitis B
- Herpes Zoster
- Human Papillomavirus
- Influenza
- Measles, Mumps, Rubella
- Meningococcal
- Pneumococcal
- Tetanus, Diphtheria, Pertussis
- Varicella

Osteoporosis screening for women 65 and older or women under 65 that meet additional risk criteria

Preventive Office Visit such as an annual physical exam, which may include:

- Aspirin use counseling for men and women of certain ages
- Assessment and management to prevent falls in adults 65 and older
- Blood Pressure screening
- Depression screening
- Diet counseling for adults at higher risk for chronic disease
- Domestic violence screening and counseling for women
- Recommendation for folic acid supplements for women who may become pregnant
- Obesity screening and counseling

Rh Incompatibility screening for all pregnant women and follow-up testing for women at higher risk

Sexually Transmitted Infection (STI) prevention counseling for adults at higher risk

Syphilis screening for pregnant women and adults at higher risk

Tobacco Use screening and interventions for all adults, and expanded counseling for pregnant tobacco users

(This list is current as of January 1, 2013. It is reviewed and updated annually as necessary, as required by the Patient Protection and Affordable Care Act.)

COVERED PREVENTIVE SERVICES FOR CHILDREN

Alcohol and Drug Use assessments for adolescents

Autism screening for children at 18 and 24 months

Behavioral assessments

Cervical Dysplasia screening for sexually active females

Congenital Hypothyroidism screening for newborns

Dyslipidemia screening for children at higher risk of lipid disorders

Gonorrhea preventive medication for the eyes of all newborns

Hearing screening for all newborns

Hematocrit or Hemoglobin screening

Hemoglobinopathies or sickle cell screening for newborns

HIV screening for adolescents at higher risk

Immunization vaccines for children from birth to age 18 — (recommendations vary for doses, ages, and populations)

- Diphtheria, Tetanus, Pertussis
- Measles, Mumps, Rubella
- Meningococcal
- Pneumococcal
- Rotavirus
- Varicella
- Influenza
- Hepatitis A
- Hepatitis B
- Human Papillomavirus
- Inactivated Poliovirus
- Haemophilus Influenzae Type b

Lead screening for children at risk of exposure

Phenylketonuria (PKU) screening for this genetic disorder in newborns

Preventive Office Visit such as a well child visit, which may include:

- Blood Pressure screening
- Depression screening for adolescents at higher risk
- Developmental screening for children under age 3, and surveillance throughout childhood
- Recommendation for fluoride chemoprevention supplements for children without fluoride in their water source
- Height, Weight, and Body Mass Index measurements
- Recommendation for iron supplements for children ages 6 to 12 months at risk for anemia
- Medical History
- Obesity screening and counseling
- Oral Health risk assessment for young children
- Vision and hearing screening
- Counseling on minimizing risks for skin cancer

Sexually Transmitted Infection (STI) prevention counseling and screening for adolescents at higher risk

Tuberculin testing for children at higher risk of tuberculosis